CREATE NEW USER IN PDS

1. **Open your web browser and browse to: http://server_ip:10000/ (example http://192.168.1.100:1000)**
2. **Login as "root" (let us know if you need root password)**

3. Select "System" → "Users and Groups"

3. Create/Modify/List users:

☐ tomh	498	pds	Tom Harding [16]	/usr2/home/tomh
☐ lauralee	500	pds	Lauralee Blefari [16]	/usr2/home/lauralee
☐ robertf	501	pds	Robert Feder [16]	/usr2/home/robertf
☐ tawnas	503	pds	Tawna Scantlen [209]	/usr2/home/tawnas
☐ atorres	504	pds	Al Torres [41]	/usr2/home/atorres
☐ richr	505	pds	Rich Reeser [48]	/usr2/home/richr
☐ suzanna	506	pds	Suzanna Sanz[16]	/usr2/home/suzanna
☐ noel	507	pds	Noel Golondrina[16]	/usr2/home/noel
☐ daven	508	pds	Dave n [29]	/usr2/home/daven
☐ kyle	509	pds	Kyle Ramos [45]	/usr2/home/kyle
☐ jkennedy	510	pds	Jerry Kennedy [16]	/usr2/home/jkennedy
☐ jerryk	511	pds	Jerry Kennedy [16]	/usr2/home/jerryk
☐ richey	512	pds	Richey Cleland [246]	/usr2/home/richey
☐ venusd	513	pds	Venus Dross [31]	/usr2/home/venusd
☐ donw	514	pds	Don Watson [07]	/usr2/home/donw
☐ rrodrigu	516	pds	rrodriguez	/usr2/home/rrodrigu
☐ careys	517	pds	Carey Schmaltz [31]	/usr2/home/careys
☐ wramos	518	pds	William Ramos [58]	/usr2/home/wramos
☐ keiths	519	pds	Keith Schroeder	/usr2/home/keiths
☐ **1**	**2**	pds	Joe Stocking**3**	/usr2/home/jstock
☐ stevec	521	pds	Steve Cranny[46]	/usr2/home/stevec

Select all. Invert selection.

| Delete Selected Users | | Disable Selected | | Enable Selected |

Create a new user. **4**   e, modify and delete users from batch file.   Export users to batch file.

Description:
(1) – username
(2) – user ID (If we want to match the user permission with a new user we use this number)
(3) – PDS permission ("[46]" This means that it is linked to an other user who has ID "46" or "46" is a predefined PDS permission number hard coded in PDS.
(4) – Create a new user

4. **Create a new user. The important fields are marked with red and described in "Step 3" (Modify/Create/Delete is in the same place)**

Username: The login name (8 digits max)
Real name: The full name of the user. Than space than PDS permission in [ ] brackets.
Shell: Always "/bin/bash"
Existing group: "type pds"